



PERFORMANCE

110 119 110

116 116 116

119 119 119

110 110 110



110 110 110

116 116 116

119 119 119

110 110 110



110 110 110



110 110 110



110 110 110

110 110 110




110 110 110

110 110 110



110 110 110



110 110 110



110 110 110



110 110 110



110 110 110



110 110 110



110 110 110



110 110 110



110 110 110



110 110 110



Grundläggande specifikation.

Outvecklad storlek

1260*595*1315mm

Vikt

41.5±0.5KG

Material för ram

Aluminiumlegering

Vattentät nivå

IPX4

Max. Område

70 KM

Uphill

≤20°

Motor

Vikning Storlek

1260*595*595mm

Bromsområde

6-8M

Chassi Högth

160MM

Max. Hastighet

60 KM/H

Max. Last

120 KG

Bromssystem

Dubbla skivbromsar

Batteri

Typ

Borstlös motor

Max. VARVTAL

1350 RPM

Nominell effekt och spänning

1000W*2 , 52V

Max. Utgående vridmoment

26N.M

Däck**Storlek**

10"

Typ, material

Pneumatisk, gummi

Typ

18650 litiumbatteri

Nominell spänning

52 V

Kapacitet

20.8 AH

Laddningstid

10H~11H
